

Counterpane

BY ENDURATEX™



COUNTERPANE



Sand Dollar
CTP-903



Navy
CTP-507



Sand Dollar
CTP-903




Mist
CTP-907



Bruin Blue
CTP-902




Almond Cream
CTP-904



Greystone
CTP-508



Antique Taupe
CTP-511



Off White
CTP-905



Trolley Grey
CTP-510



Cardinal
CTP-901



Pearl
CTP-909



Briquette
CTP-509



Dark Cherry
CTP-512



Snow
CTP-906



Ebony
CTP-908

COUNTERPANE

COUNTERPANE with PRODURATECT™ M is manufactured to meet the following typical properties:

Specifications:

Width 54"
Roll Size 30 yds
Thickness 1.05 mm
Nominal Weight 30 oz. per Lin. yard
Contents 100% Virgin Vinyl
Backing Q1 Polyester
Cold Crack -10°F
UV Stabilized Pigments 500 hours minimum
Abrasion Resistance ... Wyzenbeek (100K cycles #10 cotton duck)
Mildew Resistance (ASTM G-21) Pass
Anti-Bacterial/Anti-Microbial (AATCC 147) Pass

Suggested Applications:

Marine, Massage Tables, Office, RV



* This fabric meets or exceeds these ACT performance guidelines. Certification Marks owned by ACT.

Meets Flammability Requirements*:

CID A-A-2950
Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013, Section 1**
New York & New Jersey Port Authority
Boston Fire Department Code
FAR 25.853 (A) Appendix F Part 1 (a)(1)(ii)
NFPA 260, Class 1
BIFMA, Class A
UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** This product, when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

This product has been treated with anti-bacterial and anti-microbial agents that will provide resistance to the following:

(AATCC Test Method 147)
Bacillus Mycooides, Klebsiella Pneumoniae, Proteus Vulgaris, Staphylococcus Aureus, Salmonella Choleraesuis, Bacillus Cerus, Enterococcus Faecalis, Escherichia Coli

Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners.

ENDURATEX™ and PRODURATECT™ are trademarks of CGPC America Corp. and may not be used without written permission of CGPC America Corp.

