




Carbon Fiber | CAR-1102 | Pearl White

Polaris | POL-1619 | Brilliant White


Nuance | NUA-2452 | Sand



Gemini | GEM-2564 | Alabaster White

Grand Prix | GPX-9450 | Snow White

Monticello | MOT-7323 | Shale



Pegasus | PEG-1613 | Brilliant White

Sierra | SIS-9563 | Off White


Nuance | NUA-2463 | Medium Neutral



Aries | ARI-1601 | Brilliant White

Gemini | GEM-2561 | Pearl

Monticello | MOT-7043 | Medium Neutral



Apex | APX-2554 | Brilliant White

Corinthian | COS-7691 | V. Lt. Cashmere


G-Grain | GGR-7221 | Medium Parchment




Orion | ORI-1607 | Brilliant White

Madrid | MAS-9831 | Off White


Nuance | NUA-2453 | Sandstone




Monticello | MOT-9802 | Sandstone




Aries | ARI-1605 | Pebble




Madrid | MAS-9834 | Gold




Aries | ARI-1604 | Sand Dollar




Nuance | NUA-2468 | Grouse




Gemini | GEM-2573 | Old Bourbon




Pegasus | PEG-1616 | Sand Dollar




Sierra | SIS-9567 | Brown




Nuance | NUA-2472 | Chamois




Polaris | POL-1622 | Sand Dollar




Sierra | SIS-5944 | Briar Brown




Oxen | OXS-9842 | Buckskin




Monticello | MOT-9801 | Med. Prairie Tan




Nuance | NUA-2470 | Coffee Bean




Montana | MOS-9377 | Desert Tan



Monticello | MOT-6891 | Medium Beige




Madrid | MAS-9832 | Dark Green



Grand Prix | GPX-9472 | Buckskin




Nuance | NUA-2469 | Coconut Husk




Gemini | GEM-2569 | Tangerine



Grand Prix | GPX-9456 | Carmine




Sierra | SIS-9565 | Medium Brown




Gemini | GEM-2567 | Passion



Montana | MOS-9386 | Scarlet




Sierra | SIS-6262 | Cognac



Monticello | MOT-9808 | Torchfire Red




Heidi | HDI-6247 | Scarlet




Nuance | NUA-2473 | Cognac



Corinthian | COS-7291 | Torch Red




Montana | MOS-9381 | Canyon Red



Nuance | NUA-2467 | Turmeric




Sierra | SIS-9564 | Flame Red



Oxen | OXS-9843 | Maroon



Sierra | SIS-9572 | Rust



Sierra | SIS-6526 | Dark Red



Grand Prix | GPX-9460 | Cranberry



Apex | APX-2555 | Midnight



Monticello | MOT-6973 | Navy




Sierra | SIS-9566 | Garnet




Pegasus | PEG-1615 | Midnight



Gemini | GEM-2568 | Electric




Monticello | MOT-6974 | Ruby Red




Aries | ARI-1603 | Midnight



Madrid | MAS-9833 | Turquoise




Sierra | SIS-9577 | Dark Maple



Heidi | HDI-6812 | Lapis Blue



Carbon Fiber | CAR-1101 | Silver




Grand Prix | GPX-9453 | Lapis Blue




Apex | APX-2551 | Steel Silver




Sierra | SIS-9870 | Royal



Gemini | GEM-2563 | Aluminum




Wallaby | WAS-9861 | Grey



G-Grain | GGR-7357 | Med Flint




Sierra | SIS-9580 | Med Grey




Monticello | MOT-7179 | Med. Dark Pewter




Nuance | NUA-2460 | Medium Grey




Monticello | MOT-9806 | Lt Gray



Grand Prix | GPX-9462 | Light Slate




Polaris | POL-1620 | Gunmetal




Heidi | HDI-6106 | Smoke



Sierra | SIS-7184 | Med. Dark Pewter



Orion | ORI-1608 | Gunmetal



Heidi | HDI-5916 | Charcoal



Gemini | GEM-2572 | Molten



Pegasus | PEG-1614 | Gunmetal




Carbon Fiber | CAR-1110 | Flint



Monticello | MOT-6890 | Medium Gray



Aries | ARI-1602 | Gunmetal



Montana | MOS-9375 | Charcoal

Monticello | MOT-7346 | Very Dark Pewter

Orion | ORI-1612 | Ebony

Aries | ARI-1606 | Ebony

Nuance | NUA-2462 | Very Dark Pewter

Polaris | POL-1624 | Ebony

Heidi | HDI-6507 | Ebony

Oxen | OXS-9841 | Smoke Grey

G-Grain | GGR-7227 | Ebony

Caprice | CAP-7428 | Black

Monticello | MOT-6892 | Graphite

Pegasus | PEG-1618 | Ebony

Montana | MOS-9378 | Black

Longitude | LON-7692 | Ebony

Nuance | NUA-2457 | Ebony

Verona | VER-7482 | Charcoal Black

Corinthian | COS-7292 | Ebony

Soho | SOH-7525 | Charcoal Black

Sierra | SIS-9562 | Black




Grand Prix | GPX-9467 | Black




Carbon Fiber | CAR-1100 | Black



Monticello | MOT-9810 | Black



Apex | APX-2548 | Raven



Wallaby | WAS-9860 | Black




Gemini | GEM-2574 | Raven



Madrid | MAS-9830 | Black



Buckskin W/ Aberdeen | BUC-7485 | Charcoal Black



Ruffino | RUS-9850 | Black



Oxen | OXS-9840 | Black

EZ Vinyl Marine		25	30	54
EZ Vinyl		25	30	54
*Wallaby	•	28	30	54
Verona	•	28	30	54
Soho	•	28	30	54
*Sierra	•	28	30	54
*Ruffino	•	28	30	54
Polaris	•	29	30	54
Pegasus	•	29	30	54
*Oxen	•	28	30	54
Orion	•	29	30	54
*Nuance	•	29	30	54
*Monticello	•	28	30	54
*Montana	•	28	30	54
*Madrid	•	28	30	54
Longitude	•	28	30	54
*Heidi	•	28	30	54
*Grand Prix	•	28	30	54
*G-Grain	•	28	30	54
Gemini	•	29	30	54
*Corinthian	•	28	30	54
Caprice	•	28	30	54
Carbon Fiber	•	29	30	54
Buckskin w/Ab	•	28	30	54
Aries	•	29	30	54
Apex	•	29	30	54

Hi-Loft Flex™
 Hi-Loft2™ Backing
 100% Polyester
 Weight (oz.)
 Roll Size (yd.)
 Roll Width (in.)

*Running change from Hi-Loft2™ to Hi-Loft Flex™

PERMABLOK®
ADVANCED WOOL PROTECTION

UV Stabilized Pigments
(1,000 hours)

Marine Quality
UV Stabilized Pigments
(650 hours QUUV)
w/ Mildew Resistance

Cold Crack: CFFA - 6a
Fahrenheit

Abrasion
CFFA - 1a / ASTM D-4157
Wyzenbeek #10 Cotton Duck

	APX	ARI	BUC	CAR	CAP	COS	GEM	GGR	GPX	HDI	LON	MAS	MON	MOT	NUA	ORI	OXS	PEG	POL	RUF	SIS	SOH	VER	WAL	EZY	EZM
UV Stabilized Pigments (1,000 hours)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Marine Quality UV Stabilized Pigments (650 hours QUUV) w/ Mildew Resistance	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cold Crack: CFFA - 6a Fahrenheit	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°	-10°
Abrasion CFFA - 1a / ASTM D-4157 Wyzenbeek #10 Cotton Duck	100K	50K	50K	50K	50K	50K	100K	50K	50K	50K	50K	50K	50K	50K	100K	50K	50K	50K	50K	50K	50K	50K	50K	50K	50K	50K

CAL T.B. 117 - 2013

FMVSS 302

IMO FTP 2010
Code MSC.307(88)
Part 8, 3.1 & 3.2

NFPA 260 - Cover Fabric - Class I

UFAC Fabric - Class I

	APX	ARI	BUC	CAR	CAP	COS	GEM	GGR	GPX	HDI	LON	MAS	MON	MOT	NUA	ORI	OXS	PEG	POL	RUF	SIS	SOH	VER	WAL	EZY	EZM
CAL T.B. 117 - 2013	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FMVSS 302	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
IMO FTP 2010 Code MSC.307(88) Part 8, 3.1 & 3.2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
NFPA 260 - Cover Fabric - Class I	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
UFAC Fabric - Class I	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.



We recommend cleaning at least once a week to extend the lifespan of the upholstery, which will prevent dirt and contamination buildup and permanent staining. In the event of a spill, wipe off any excess right away with a dry white cloth or fabric, but be careful not to spread onto the remaining surface.

Clean the whole surface in a circular motion using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water). Check the Approved Cleaners guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess soap. Repeat as needed and then let dry.

Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colors need more care, more often.

Do not use with alcohol-based cleaning agents!

A list of approved cleaners can be found online at spradlinggroup. All cleaning methods must be followed by a thorough rinse with clean warm water.

We recommend cleaning at least once a week to extend the lifespan of the upholstery, which will prevent dirt and contamination buildup and permanent staining. In the event of a spill, wipe off any excess right away with a dry white cloth or fabric, but be careful not to spread onto the remaining surface.

Clean the whole surface in a circular motion using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water). Check the Approved Cleaners guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess soap. Repeat as needed and then let dry.

If there is any buildup that cannot be removed with soapy water, a mixture of 1 part isopropyl alcohol to 9 parts water can be used as a last resort. (Remember, using alcohol on a regular basis can affect the properties of the product.)

Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colors need more care, more often.

©2024 Spradling International, Inc.®

For more information, Care and Cleaning Guides, Sewing recommendations, etc. visit spradlinggroup.com or for inquiries call 1-800-333-0955.

Apex™, Aries™, Buckskin with Aberdeen™, Carbon Fiber™, Caprice™, Corinthian™, Gemini™, Heidi Soft™, Longitude™, Madrid™, Montana™, Monticello™, Nuance™, Orion™, Pegasus™, Polaris™, Ruffino™, Sierra™, Soho™, Verona™, Wallaby™, EZ Vinyl™, Hi-Loft2™, and Hi-Loft Flex™ are trademarks of Spradling Holdings, Inc.®

Softside® and Permablok® are registered trademarks of Spradling Holdings, Inc.®

Some products may contain chemicals, identified by the State of California as a cause of cancer, birth defects or other reproductive harm at certain exposure levels. Under the California law known as "Prop 65," certain warnings to consumers in California are required where such products are sold. The presence of such chemicals in coated fabric products, even at extremely low concentrations, can lead to disputes over Prop 65 warning obligations that are very difficult to resolve. If your company intends to introduce Spradling vinyl products into commerce in California, Spradling recommends that you take steps to confirm whether the warning requirements of California's Prop 65 are applicable to the products in question and whether your company is complying with those warning requirements for the chemicals contained within these products.

Note: The cleaning products recommended were used in a laboratory setting. Spradling Group® has no relationship with the manufacturers of those cleaning products.

For Color Transfer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Please check compatibility when using this product in combination with painted or varnished surfaces.

Disinfectants

In addition to cleaning, healthcare facilities maintain disinfecting regimens to reduce the spread of infections. There are a wide variety of available biocides that include bleaches, peroxides and quaternary ammonium products, among others. They should always be used at the recommended dilution; never in concentrated form. To prolong the life of coated fabrics, the disinfectants should be rinsed off after each use. It should be noted that misuse of disinfectants is the major source of surface deterioration. Spradling International, Inc.® continually evaluates cleaners/disinfectants, and a list of those tested can be found on our website.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.